

RECENT RECOGNITION

In March, 2001, the ACN announced at the Annual Meeting of the American Academy of Allergy, Asthma and Immunology that Newtron Products Company's Original Newtron air cleaner has been certified as an effective indoor environmental control product. Newtron is proud its air cleaner/filter is the only one in North America to have been so designated. ACN's certification of the Original Newtron air cleaner confirmed to Board certified allergists and other practicing physicians that the product meets the standards of the ACN's scientific advisory board.

The ACN is a network of practicing allergists who are recognized experts in environmental control. The ACN is dedicated to providing its members and their patients information concerning effective allergen avoidance and environmental control products. The ACN enables physicians to offer patients a higher standard of care through the use of effective strategies designed to improve compliance with environmental control measures.

Easy Maintenance

All that is required is to remove the filter, spray with a common household cleaner, rinse with water and re-install.



STANDARD SIZES

	Model	Actual Dimensions
LESS THAN 400 SQ. IN.	1-1212	1 x 11 1/2 x 11 1/2
	1-1224	1 x 11 1/2 x 13 1/2
	1-1414	1 x 13 1/2 x 13 1/2
	1-1420	1 x 13 1/2 x 19 1/2
	1-1424	1 x 12 1/2 x 23 1/2
	1-1425	1 x 13 1/2 x 24 1/2
400 SQ. IN. OR MORE	1-1620	1 x 15 1/2 x 19 1/2
	1-1430	1 x 13 1/2 x 29 1/2
	1-1625	1 x 15 1/2 x 24 1/2
	1-1824	1 x 17 1/2 x 23 1/2
	1-2020	1 x 19 1/2 x 19 1/2
	1-2025	1 x 19 1/2 x 24 1/2
	1-2030	1 x 19 1/2 x 29 1/2
1-2424	1 x 23 1/2 x 23 1/2	

Also Available in 2" Thickness

Custom sizes available.
(up to 27 1/2" x 36" sq. in.)

Lifetime Repair or Replace Warranty

MADE IN USA

*Note: These tests were performed under laboratory conditions. Different results may be obtained with your heating and air conditioning equipment. The actual effectiveness of any air cleaner in your home depends on a variety of factors, including the amount of air that is processed, the nature of the pollutant, and the rate at which the pollutant is being introduced into your environment.

NEWTRON

Products Company

1-800-882-8012

www.permatron.com

Leading the Way Since 1978



NEWTRON


Air Cleaners

The Newtron Air Cleaners

Compare our results... and see the difference


Leading the WAY Since 1978 The ORIGINAL Newtron Air Filter

A 95% peak air cleaning performance was achieved by capturing a composition of Ashrae dust and actual Ragweed pollen.




Performance Curve 0 to 5 Microns

Dust Increment - 30 GMS. ASHRAE



A 91.7%* peak air cleaning performance was achieved by capturing a composition of extremely small particles ranging in size from 0-5 microns.

Removes up to 96.3% of Ashrae dust composed of particulate from 0-80 microns.




Take the Path of Least Resistance with CONTRACTOR'S CHOICE Air Filter

Initial Resistance .08* in. W.G.
Dust Removal 84%

Contractor's Choice filters the air with a very low air flow resistance. Low air flow resistance is extremely important in the proper operation of today's high efficient heating and cooling systems. Low resistance means better circulation. Test based on ASHRAE protocol resulted in .08 inches W.G. at 300 FPM. (See chart)

Your HVAC contractor knows the benefits of .08 in. W.G. and so should you.



Newtron's Low Airflow Resistance Filters:

- Provide
 - ✓ Lower Energy Costs
 - ✓ Reduces possibility of expensive service calls
 - ✓ Improved air circulation and even temperature control throughout your home
 - ✓ Faster heating and cooling
 - ✓ Decreased possibility of frozen air conditioning coils
 - ✓ Extends life of compressor and blower motor
- Superb Air Filtration

The five stage construction of Newtron Air Filters give them extremely high air cleaning capabilities. Safe magnetic charges in the filter material attract and trap airborne particles.

- Anti-Bacterial

Is manufactured directly into the filter screens, helping resist the growth of germs, bacteria, mold and mildew on their surfaces.
- Humidity Proof

Only non-absorbent materials are utilized in the construction of Newtron Air Filters. Relative humidity does not affect efficiency.



NEWTRON® Electrostatic Air Cleaner
CONTRACTOR'S CHOICE® Air Filter
REMIND-AIR® Air Filter
CHAR-TRON® Air Filter with Charcoal
NEWTRON V.I.P.® Air Cleaner with Charcoal

NEWTRON products are warranted to be free from defects in material and/or workmanship according to the following schedule:

RESIDENTIAL APPLICATION - LIFETIME
COMMERCIAL APPLICATION - 5 YEARS
CHARCOAL FILTERS - 5 YEARS

NEWTRON PRODUCT COMPANY will repair or replace, at its option, for the original purchaser, any unit it deems defective in material and/or workmanship. This warranty is void if the unit has been tampered with or altered; subjected to abuse, misuse, negligence, unusual operating conditions, accident or careless handling, improper installation, or failure to follow the Cleaning Instructions.

If your filter or air cleaner must be returned to the factory, follow these steps:

1. Obtain a Newtron Products Company Return Authorization Number as well as company return address by calling 800-882-8012.
2. Mail or express the unit, making sure to insure package.
3. Enclose a \$19.95 check or money order, made out to Permatron Corporation, to cover processing, handling & postage.
4. Enclose your original receipt or proof of purchase to validate date of purchase.
5. Enclose an explanation of what is wrong with the unit.

CLEANING INSTRUCTIONS:

1. Vacuum off heavy particulate build-up.
2. Spray both sides with liquid household cleaner.
3. Flush with water from the clean side to the dirty side. Rinse thoroughly and drain.
4. Reinstall in your system.

NOTE: DO NOT DRY in sun. Ultraviolet light can deteriorate filter material. The charcoal inserts in ALL charcoal filters are NOT cleanable. They must be replaced.



REMIND-AIR™

Newtron V.I.P.

CONTRACTOR'S CHOICE™

E-Mail: sales@permatron.com
Web Site: www.permatron.com

WARRANTY INFORMATION AND CLEANING INSTRUCTIONS

(Keep for your records)